




STATEMENT OF LINE



High Back or Mid Back




Molded Foam or Mesh Seat




Seat Cover




Syncro Mechanism




Swivel Mechanism




Drafting Ring



Fixed Loop



3-Way Adjustable



Base



Castors

## FEATURES

---

Choose from standard configurations or customize your own

---

Available in Black, White or All Mesh

---

Base available in Black, White and Polished Aluminum

---

High or Mid Back

---

3-way Adjustable Arm Rest or Fixed Loop Arms

---

Full Syncro Mechanism with Tension Adjuster

---

2 Position Lock with Sliding Seat Mechanism

---

Adjustable Lumbar Support

---

Removable seat covers in fabric, polyurethane, vinyl and Black leather

---

Optional Drafting Ring

---

Fully Assembled Option

---



3-way Adjustable Arms



Fixed Loop Arms




Drafting Ring

Zilo has been approved for use in home office environments and complies with Consumer Product Safety Commission (CPSC) standards.


# FINISHES




## Seat Cover



Five color collections available; refer to price list and web site for color names and SKUs.



## Mesh Back



## Armrests



## Castors



## SPECIFICATIONS

Weight Capacity	275 lbs
Net Weight	38 lbs
Height Range	39.5" - 43.5"
High Back Dimensions	18"w x 21.5"h
Mid-Back Dimensions	18"w x 18.5"h
Seat Dimensions	19.25"w x 20"d
Seat Height Range	18.5" - 22.75"
Arms Span (outside edges)	25.25" - 26.5"
Body Frame Material	Nylon
Base Materials	Polished Aluminum and Nylon
Base Width	Nylon: 27" / Polished Aluminum: 27.5"
Cushion Seats	Polyurethane fill
Seat Covers	Removable with velcro closure
Mesh Back Material	Polyester/Polyelastomer/Nylon
Castors	Soft PU (Black or 2-tone Grey)

## DRAFTING RING

Lift Height	8.25"
Ring Diameter	20"

## INSTALLATION TIME

10 minutes

## WARRANTY

10 years, including parts and approved labor.

## CARE & MAINTENANCE INSTRUCTIONS

Fabric: Wipe lightly with a damp soapy cloth. Rinse with cold water and wipe dry with a clean cloth.

Frames: Wipe lightly with a damp cloth, using a gentle cleaner if needed.

## CERTIFICATIONS

ANSI/BIFMA X5.1-2017  
TB117-2013  
Indoor Advantage Gold™